ELSEVIER

Developmental Brain Research 108 (1998) 319–320

DEVELOPMENTAL BRAIN RESEARCH

Author Index

Adamec, E., Didier, M. and Nixon, R.A.
Developmental regulation of the recovery process following glutamate-induced calcium rise in rodent primary neuronal cultures (108) 101
Allgaier, C., see Goldbach, R. (108) 23
Aynsley-Green, A., see Rahman, W. (108) 239

Bonnot, A., Morin, D. and Viala, D.
Genesis of spontaneous rhythmic motor patterns in the lumbosacral spinal cord of neonate mouse (108) 89
Boyet, S., see Nehlig, A. (108) 69
Broca, C., see Demêmes, D. (108) 59

Calhoun, J.C., see Widmer, C.G. (108) 1
Cho, S.C., see Jung, H.Y. (108) 303
Clarac, F., see Fady, J.-C. (108) 111
Clayton, G.H., Staley, K.J., Wilcox, C.L., Owens, G.C. and Smith, R.L.
Developmental expression of ClC-2 in the rat nervous system (108) 307
Costa, P.F., see Santos, A.I. (108) 13
Cuchillo, I., see Trejo, J.L. (108) 161

Dam, K., Seidler, F.J. and Slotkin, T.A.
Developmental neurotoxicity of chlorpyrifos: delayed targeting of DNA synthesis after repeated administration (108) 39
Dashwood, M.R., see Rahman, W. (108) 239
Demêmes, D. and Broca, C.
Calcitonin gene-related peptide immunoreactivity in the rat efferent vestibular system during development (108) 59
Dickenson, A.H., see Rahman, W. (108) 239
Didier, M., see Adamec, E. (108) 101
Disko, U., Haaf, A., Heimrich, B. and Jackisch, R.
Postnatal development of muscarinic autoreceptors modulating acetylcholine release in the septohippocampal cholinergic system. II. Cell body region: septum (108) 31

Evans, B., see Hagedorn, M. (108) 217

Fady, J.-C., Jamon, M. and Clarac, F.
Early olfactory-induced rhythmic limb activity in the newborn rat (108) 111
Fernald, R.D., see Hagedorn, M. (108) 217
Fitzgerald, M., see Rahman, W. (108) 239
Florence, S.L., see Wu, C.W.-H. (108) 47
Fujioka, T., see Sakata, Y. (108) 255
Futerman, A.H., see Schwarz, A. (108) 125

Goldbach, R., Allgaier, C., Heimrich, B. and Jackisch, R.
Postnatal development of muscarinic autoreceptors modulating acetylcholine release in the septohippocampal cholinergic system. I. Axon terminal region: hippocampus (108) 23
Gorbounova, O., see Hellström-Lindahl, E. (108) 147

Haaf, A., see Disko, U. (108) 31
Hagedorn, M., Mack, A.F., Evans, B. and Fernald, R.D.
The embryogenesis of rod photoreceptors in the teleost fish retina, *Haplochromis burtoni* (108) 217
Haines III, G.K., see Watanabe, G. (108) 77
Hamano, K., Takeya, T., Iwasaki, N., Nakayama, J., Ohto, T. and Okada, Y.
A quantitative study of the progress of myelination in the rat central nervous system, using the immunohistochemical method for proteolipid protein (108) 287
Haneda, M., see Nakagawa, T. (108) 263
Hayase, Y., see Nakagawa, T. (108) 263
Hayashi, S., see Oyanagi, K. (108) 229
Hazama, F., see Nakagawa, T. (108) 263
Heimrich, B., see Disko, U. (108) 31
Heimrich, B., see Goldbach, R. (108) 23
Hellström-Lindahl, E., Gorbounova, O., Seiger, Å., Mousavi, M. and Nordberg, A.
Regional distribution of nicotinic receptors during prenatal development of human brain and spinal cord (108) 147
Higashiyama, S., see Nakagawa, T. (108) 263
Ho, S.M., see Lim, C.H. (108) 299
Hoogland, T.M., see Ramakers, G.J.A. (108) 205

Ikuta, F., see Oyanagi, K. (108) 229
Iwasaki, N., see Hamano, K. (108) 287

Jackisch, R., see Disko, U. (108) 31
Jackisch, R., see Goldbach, R. (108) 23
Jamon, M., see Fady, J.-C. (108) 111
Jeon, S.H., see Jung, H.Y. (108) 303
Joo, Y.H., see Jung, H.Y. (108) 303
Jung, H.Y., Kang, U.G., Joo, Y.H., Cho, S.C., Jeon, S.H., Park, J.-B. and Kim, Y.S.
Electroconvulsive shock does not induce c-*fos* and *jun*B, but *TIS1* and *TIS8 / zif-268*, in neonatal rat hippocampus (108) 303

Kaas, J.H., see Wu, C.W.-H. (108) 47
Kakita, A., see Oyanagi, K. (108) 229
Kang, U.G., see Jung, H.Y. (108) 303
Kawasaki, K., see Oyanagi, K. (108) 229
Kellogg, C.K., Olson, V.G. and Pleger, G.L.
Neurosteroid action at the $GABA_A$ receptor in fetal rat forebrain (108) 131
Kikkawa, R., see Nakagawa, T. (108) 263
Kim, Y.S., see Jung, H.Y. (108) 303
Kostopoulos, G., see Papatheodoropoulos, C. (108) 273

Lequin, M.B., see Ramakers, G.J.A. (108) 205
Lim, C.H. and Ho, S.M.
GABAergic modulation of axonal conduction in the developing rat retinotectal pathway (108) 299
Luo, J., see Seabold, G.K. (108) 139

Machín, C., see Trejo, J.L. (108) 161
Mack, A.F., see Hagedorn, M. (108) 217
Marescaux, C., see Nehlig, A. (108) 69
Miller, M.W., see Seabold, G.K. (108) 139
Morin, D., see Bonnot, A. (108) 89
Morris-Wiman, J.A., see Widmer, C.G. (108) 1
Mousavi, M., see Hellström-Lindahl, E. (108) 147
Muller, Y.L. and Yool, A.J.
Increased calcium-dependent K^+ channel activity contributes to the maturation of cellular firing patterns in developing cerebellar Purkinje neurons (108) 193

Nakagawa, T., Sasahara, M., Hayase, Y., Haneda, M., Yasuda, H., Kikkawa, R., Higashiyama, S. and Hazama, F.
Neuronal and glial expression of heparin-binding EGF-like growth factor in central nervous system of prenatal and early postnatal rat (108) 263
Nakamura, S., see Sakata, Y. (108) 255
Nakayama, J., see Hamano, K. (108) 287
Nehlig, A., Vergnes, M., Boyet, S. and Marescaux, C.
Metabolic activity is increased in discrete brain regions before the occurrence of spike-and-wave discharges in weanling rats with genetic absence epilepsy (108) 69
Nixon, R.A., see Adamec, E. (108) 101
Nordberg, A., see Hellström-Lindahl, E. (108) 147

Obara, N., see Suzuki, Y. (108) 295
Ohto, T., see Hamano, K. (108) 287
Okada, Y., see Hamano, K. (108) 287

O'Kusky, J.R.
Postnatal changes in the numerical density and total number of asymmetric and symmetric synapses in the hypoglossal nucleus of the rat (108) 179
Olson, V.G., see Kellogg, C.K. (108) 131
Owens, G.C., see Clayton, G.H. (108) 307
Oyanagi, K., Kakita, A., Yamada, M., Kawasaki, K., Hayashi, S. and Ikuta, F.
Process of repair in the neuroepithelium of developing rat brain during neurogenesis: chronological and quantitative observation of DNA-replicating cells (108) 229

Papatheodoropoulos, C. and Kostopoulos, G.
Development of a transient increase in recurrent inhibition and paired-pulse facilitation in hippocampal CA1 region (108) 273
Park, J.-B., see Jung, H.Y. (108) 303
Pena, P., see Watanabe, G. (108) 77
Pestell, R.G., see Watanabe, G. (108) 77
Pleger, G.L., see Kellogg, C.K. (108) 131
Pool, C.W., see Ramakers, G.J.A. (108) 205

Rahman, W., Dashwood, M.R., Fitzgerald, M., Aynsley-Green, A. and Dickenson, A.H.
Postnatal development of multiple opioid receptors in the spinal cord and development of spinal morphine analgesia (108) 239
Ramakers, G.J.A., Winter, J., Hoogland, T.M., Lequin, M.B., Van Hulten, P., Van Pelt, J. and Pool, C.W.
Depolarization stimulates lamellipodia formation and axonal but not dendritic branching in cultured rat cerebral cortex neurons (108) 205
Rúa, C., see Trejo, J.L. (108) 161

Sakata, Y., Fujioka, T. and Nakamura, S.
In vivo whole-cell recording from neurons of the superior colliculus in fetal rats (108) 255
Santos, A.I., Wadman, W.J. and Costa, P.F.
Sustained potassium currents in maturing CA1 hippocampal neurones (108) 13
Sasahara, M., see Nakagawa, T. (108) 263
Schwarz, A. and Futerman, A.H.
Inhibition of sphingolipid synthesis, but not degradation, alters the rate of dendrite growth in cultured hippocampal neurons (108) 125
Seabold, G.K., Luo, J. and Miller, M.W.
Effect of ethanol on neurotrophin-mediated cell survival and receptor expression in cultures of cortical neurons (108) 139
Seidler, F.J., see Dam, K. (108) 39
Seiger, Å., see Hellström-Lindahl, E. (108) 147
Shambaugh III, G.E., see Watanabe, G. (108) 77
Slotkin, T.A., see Dam, K. (108) 39
Smith, R.L., see Clayton, G.H. (108) 307
Staley, K.J., see Clayton, G.H. (108) 307
Suzuki, N., see Suzuki, Y. (108) 295
Suzuki, Y., Takeda, M., Obara, N. and Suzuki, N.
Bulbectomy of neonatal mice induces migration of basal cells from the olfactory epithelium (108) 295

Takeda, M., see Suzuki, Y. (108) 295
Takeya, T., see Hamano, K. (108) 287
Tigges, M.H., see Wu, C.W.-H. (108) 47
Trejo, J.L., Rúa, C., Cuchillo, I. and Machín, C.
Calbindin-D28k- and astroglial protein-immunoreactivities, and ultrastructural differentiation in the prenatal rat cerebral cortex and hippocampus are affected by maternal adrenalectomy (108) 161

Van Hulten, P., see Ramakers, G.J.A. (108) 205
Van Pelt, J., see Ramakers, G.J.A. (108) 205
Vergnes, M., see Nehlig, A. (108) 69
Viala, D., see Bonnot, A. (108) 89

Wadman, W.J., see Santos, A.I. (108) 13
Watanabe, G., Pena, P., Shambaugh III, G.E., Haines III, G.K. and Pestell, R.G.
Regulation of cyclin dependent kinase inhibitor proteins during neonatal cerebella development (108) 77
Widmer, C.G., Morris-Wiman, J.A. and Calhoun, J.C.
Development of trigeminal mesencephalic and motor nuclei in relation to masseter muscle innervation in mice (108) 1
Wilcox, C.L., see Clayton, G.H. (108) 307
Winter, J., see Ramakers, G.J.A. (108) 205
Wu, C.W.-H., Florence, S.L., Tigges, M.H. and Kaas, J.H.
Morphology of M-cell axon arbors in striate cortex of monkeys reared with monocular aphakia (108) 47

Yamada, M., see Oyanagi, K. (108) 229
Yasuda, H., see Nakagawa, T. (108) 263
Yool, A.J., see Muller, Y.L. (108) 193